

IN THE CLAIMS:

1. (cancelled)
2. (currently amended) The method of claim 10, network data processing system as recited in claim 1, further comprising:
wherein the address of the bait server is not publishing [[ed]] the bait server's address to the network, plurality of client data processing systems.
3. (currently amended) The computer program product of claim 20, network data processing system as recited in claim 1, wherein the bait server's address is not published to the network, offending system includes more than one data processing system.
4. (currently amended) The system as recited in claim 30, network data processing system as recited in claim 1, wherein the bait server's address is not published to the network, offending system includes the local server.
5. (cancelled)
6. (cancelled)
7. (cancelled)
8. (cancelled)
9. (cancelled)
10. (currently amended) A method for detecting the presence of a computer virus, the method comprising;
receiving, at a bait server, a request to perform a function on the bait server;
identifying an offending system from which the request originated;

alerting a local server that a virus attack is in progress and of the identity of the offending system; and

~~directing the local server to disconnecting~~ the offending system from the network.

11. (original) The method as recited in claim 10, further comprising:
prior to disconnecting the offending system, notifying the offending system that it is infected with a virus.
12. (original) The method as recited in claim 10, further comprising:
receiving a reconnect request from the offending system;
verifying that the offending system is disinfected and available to reconnect to the network; and
reconnecting the offending system to the network.
13. (cancelled)
14. (cancelled)
15. (cancelled)
16. (currently amended) A method in a bait server for detecting the presence of a computer virus, the method comprising:
not publishing the bait server's address to a network;
monitoring the [[a]] network for the presence of a computer virus;
responsive to a determination that a virus is detected, determining the identity of an offending system within the network from which the virus entered the network; ~~and~~
notifying a local server of the presence of the virus and the identity of the offending system;
instructing all devices within the network to ignore all requests from the offending system until the offending system has been disinfected and is available for network communication;

directing the local server to disconnect the offending system from the network;
and [:-]

responsive to an indication that the offending system has been disinfected and
responsive to a reconnect request from the offending system to the local server,
reconnecting the offending system to the network.

17. (currently amended) The method as recited in claim 10 [[6]], further comprising:
instructing all devices within the network to ignore all requests from the offending
system until the offending system has been disinfected and is available for network
communication.
18. (cancelled)
19. (cancelled)
20. (original) A computer program product in a computer readable media for use in a
data processing system for detecting the presence of a computer virus, the computer
program product comprising:
first instructions for receiving, at a bait server, a request to perform a function on
the bait server;
second instructions for identifying an offending system from which the request
originated;
third instructions for alerting a local server that a virus attack is in progress and
the identity of the offending system; and
fourth instructions for disconnecting the offending system from a network.
21. (original) The computer program product as recited in claim 20, further
comprising:
fifth instructions for, prior to disconnecting the offending system, notifying the
offending system that it is infected with a virus.

22. (original) The computer program product as recited in claim 20, further comprising:

fifth instructions for receiving a reconnect request from the offending system;

sixth instructions for verifying that the offending system is disinfected and available to reconnect to the network; and

seventh instructions for reconnecting the offending system to the network.

23. (cancelled)

24. (cancelled)

25. (cancelled)

26. (currently amended) A computer program product in a computer readable media for use in a data processing system in a bait server for detecting the presence of a computer virus, the computer program product comprising:

first instructions for not publishing the bait server's address published to a network;

second ~~first~~ instructions for monitoring the ~~the~~ ~~[[a]]~~ network for the presence of a computer virus;

third ~~second~~ instructions, responsive to a determination that a virus is detected, for determining the identity of an offending system within the network from which the virus entered the network; ~~and~~

fourth instructions for notifying a local server of the presence of the virus and the identity of the offending system;

fifth instructions for instructing all devices within the network to ignore all requests from the offending system until the offending system is reauthorized for network communication;

sixth ~~third~~ instructions for directing a local server to disconnect ~~[[ing]]~~ the offending system from the network; and ~~[[.]]~~

seventh instructions, responsive to an indication that the offending system has been disinfected and responsive to a reconnect request from the offending system to the local server, for reconnecting the offending system to the network.

27. (currently amended) The computer program product as recited in claim 20 ~~[[6]]~~, further comprising:

~~fifth fourth~~ instructions for instructing all devices within the network to ignore all requests from the offending system until the offending system is reauthorized for network communication.

28. (cancelled)

29. (cancelled)

30. (original) A system for detecting the presence of a computer virus, the system comprising;

a receiver, at a bait server, which receives a request to perform a function on the bait server;

an identifying unit which identifies an offending system from which the request originated;

an virus alert unit which alerts a local server that a virus attack is in progress and the identity of the offending system; and

disconnection unit which disconnects the offending system from a network.

31. (original) The system as recited in claim 30, further comprising:

a notification unit which, prior to disconnecting the offending system, notifies the offending system that it is infected with a virus.

32. (original) The system as recited in claim 30, further comprising:

a reconnect request unit which receives a reconnect request from the offending system;

a verification unit which verifies that the offending system is authorized to reconnect to the network; and

a reconnecting unit which reconnects the offending system to the network.

33. (cancelled)

34. (cancelled)

35. (cancelled)

36. (currently amended) A system in a bait server for detecting the presence of a computer virus, the system comprising:

a monitoring unit which monitors a network for the presence of a computer virus, wherein the bait server's address is not published to the network;

an identifier which, responsive to a determination that a virus is detected, determines the identity of an offending system within the network from which the virus entered the network; ~~and~~

a notification unit which notifies a local server of the presence of the virus and the identity of the offending system;

a network protection unit which instructs all devices within the network to ignore all requests from the offending system until the offending system is reauthorized for network communication; and

a disconnection unit which directs a local server to disconnect ~~[[s]]~~ the offending system from the network.

a reconnection unit which, responsive to an indication that the offending system has been disinfected and responsive to a reconnect request from the offending system to the local server, reconnects the offending system to the network

37. (currently amended) The system as recited in claim 30 ~~[[6]]~~, further comprising:
a network protection unit which instructs all devices within the network to ignore
all requests from the offending system until the offending system is reauthorized for
network communication.

38. (cancelled)

39. (cancelled)